Craftsmanship in Stair Parts

31 YEARS

www.carolinastair.com

# CAROLINA STAIR SUPPLY

EDITION 11

# Wood & Iron

Search Houzz.com for Carolina Stair

316 Herrick Street, Uhrichsville, Ohio 44683

Tel: 800-364-3269

Tel: 740-922-3333

Fax: 740-922-3330

NOMMA

STAIRBUILDERS AND MANUFACTURERS SMA ASSOCIATION MEMBER

Wood Products Manufacturers ASSOCIATION

# Table of Contents


Special Order Species ..... 2
Sliding Barn Doors ..... 3
Contemporary Series ..... 5
Buckeye Series ..... 6
Hampton Series ..... 7
Carolina Series ..... 8-9
Square Savannah Series ..... 10
Savannah Series ..... 11
Biltmore Series ..... 12
Traditional Series ..... 13
Victorian Newels ..... 14
Victorian Accessories ..... 15
Accessories ..... 16
Rail Profiles ..... 17
Fittings - Quarterturns, Goosenecks ..... 18
Fittings - Easements, Caps, Turnouts, Volutes ..... 19
Linear ..... 20
Treads, Riser, Linear Items ..... 21
Custom Turnings ..... 22-29
Iron Finish Options ..... 30
Iron Accessories & Rail Zip Clip ..... 31
Powder Coated Regular Twist & Scroll ..... 33
Tapered & Hammered Balusters ..... 34
Ribbon Twist ..... 35
Forged Gothic ..... 36
Hand Forged Balusters ..... 37
Wave & Curl Forged Balusters ..... 38
Knee Wall Balusters ..... 40
Square Stamped & Fusion ..... 41
Olé Iron Slides™ Indoor & Outdoor ..... 42-43


CAROLINA STAIR SUPPLY


316 Herrick Street, Uhrichsville, Ohio 44683

Tel: 800-364-3269
Tel: 740-922-3333
Fax: 740-922-3330






## The 3X Concept

Developed to increase ordering efficiency, the 3X Concept ensures a perfect fit by simply trimming off the excess length from the top of the baluster. It can be applied to the following:

**Page 9:** #4415-P, #4415-F, #4415-T

**Page 11:** #5011-P, #4011-P, #4011-F

**Page 12:** #5715-P, #5715-F, #5715-R

We also offer a priming service for all of our products. Available in flat or gloss white finish.

***Pictured:***
***Left:*** 5015
***Right:*** 4003-F

**All newels and balusters featured in this catalog are available in Oak or Poplar.**

**In addition to our Oak and Poplar parts that we stock, we are pleased to offer all of the products in this catalog, by special order, in the following species:**

# All New Sliding Barn Doors

## And Sliding Barn Door Hardware



**Red Oak: 36" Barn Door**
Unassembled: **BD-DOOR-U-36-O**
Assembled: **BD-DOOR-A-36-O**

**Poplar: 36" Barn Door**
Unassembled: **BD-DOOR-U-36-P**
Assembled: **BD-DOOR-A-36-P**

**Hickory: 36" Barn Door**
Unassembled: **BD-DOOR-U-36-H**
Assembled: **BD-DOOR-A-36-H**

**Hardware**
Track and Rollers:
**BD-TRACK-SAT**




| 0150-P Round Pool Cue | 0175-P | 0125-P | 0175-F | 0125-VFL | 0175-VFL |
|---|---|---|---|---|---|
| 1-3/16" x 36" | 1-3/4" x 31" | 1-1/4" x 31" | 1-3/4" x 31" | 1-1/4" x 31" | 1-3/4" x 31" |
| 1-3/16" x 39" | 1-3/4" x 34" | 1-1/4" x 34" | 1-3/4" x 34" | 1-1/4" x 34" | 1-3/4" x 34" |
| 1-3/16" x 41" | 1-3/4" x 36" | 1-1/4" x 36" | 1-3/4" x 36" | 1-1/4" x 36" | 1-3/4" x 36" |
| Includes Dowel | 1-3/4" x 39" | 1-1/4" x 39" | 1-3/4" x 39" | 1-1/4" x 39" | 1-3/4" x 39" |
| | 1-3/4" x 41" | 1-1/4" x 41" | 1-3/4" x 41" | 1-1/4" x 41" | 1-3/4" x 41" |

**800-364-3269**

**Available in most species**




| 4050-A | 4003-P | 4002-P | 4002 and 4003 | 4004-BT | 4004-TD |
|---|---|---|---|---|---|
| 3" x 48" | 3-1/2" x 48" | 3" x 48" | Available Fluted | 3" or 3-1/2" x 48" | 3" or 3-1/2" x 48" |
| 3" x 60" | 3-1/2" x 60" | 3" x 60" | by Special Order | **4005BT** | **4005TD** |
| **4050-B** | | | | 3" or 3-1/2" x 60" | 3" or 3-1/2" x 60" |
| 3-1/2" x 48" | | | | **4006BT** | **4006TD** |
| 3-1/2" x 60" | | | | 3" or 3-1/2" x 72" | 3" or 3-1/2" x 72" |
| ***By Special Order Only*** | | | | ***Also available in Mushroom Tops*** | |






**2415-TAP**
1-3/4" x 36"
1-3/4" x 39"
1 3/4" x 41"

**2415-OCT**
1-3/4" x 36"
1-3/4" x 39"
1 3/4" x 41"

**2415-TW**
1-3/4" x 36"
1-3/4" x 39"
1 3/4" x 41"

**2415-OT**
1-3/4" x 36"
1-3/4" x 39"
1 3/4" x 41"

**2405-TAP**
1-3/4" x 36"
1-3/4" x 39"
1 3/4" x 41"

**2405-OCT**
1-3/4" x 39"
1 3/4" x 41"

**2405-TW**
1-3/4" x 36"
1-3/4" x 39"
1 3/4" x 41"

**2405-OT**
1-3/4" x 36"
1-3/4" x 39"
1 3/4" x 41"








**2410-TAP**
3-1/2" x 48"
3-1/2" x 60"

**2410-OCT**
3-1/2" x 48"
3-1/2" x 60"

**2410-TW**
3-1/2" x 48"
3-1/2" x 60"

**2410-OT**
3-1/2" x 48"
3-1/2" x 60"

**2442-TAP**
3-1/2" x 48"
3-1/2" x 60"

**2442-OCT**
3-1/2" x 48"
3-1/2" x 60"

**2442-TW**
3-1/2" x 48"
3-1/2" x 60"

**2442-OT**
3-1/2" x 48"
3-1/2" x 60"




**5205 P**
1-1/4" x 31"
1-1/4" x 34"
1-1/4" x 36"
1-1/4" x 39"
1-1/4" x 41"

**5200 P**
1-1/4" x 31"
1-1/4" x 34"
1-1/4" x 36"
1-1/4" x 39"
1-1/4" x 41"

**5300 P**
1-3/4" x 31"
1-3/4" x 34"
1-3/4" x 36"
1-3/4" x 39"
1-3/4" x 41"

**5105 P**
1-3/4" x 31"
1-3/4" x 34"
1-3/4" x 36"
1-3/4" x 39"
1-3/4" x 41"

**5105-SQ**
(No Dowel)
1-3/4" x 31"
1-3/4" x 36"
1-3/4" x 41"

**5005 P**
(No Dowel)
1-3/4" x 31"
1-3/4" x 36"
1-3/4" x 41"

**5300 LB**
(No Dowel)
41"

*This series available in octagon by special order.*
***(Excluding # 5205P & #5200P)***

**Available in most species**

**4642**
Now Available
With or without
Crosshatch
Acorn Top
WIth Special Order




**4642 P (6-1/2" Top)**
3-1/2" x 48"
3-1/2" x 60"
**3642 (6-1/2" Top)**
3" x 48"
3" x 60"

**4642 P (10" Top)**
3-1/2" x 48"
3-1/2" x 60"
**3642 (10" Top)**
3" x 60"

**4642 P (13" Top)**
3-1/2" x 60"
**3642 (13" Top)**
3" x 60"

**4610 P**
3-1/2" x 48"
3-1/2" x 60"
**3610**
3" x 48"
3" x 60"

**Dowel is Sent Loose**
**4661 P**
3" x 40"

*This series available in octagon by special order.*




**4405-P**
**Plain**
1-3/4" x 36"
1-3/4" x 41"

**4405-F**
**Fluted**
1-3/4" x 36"
1-3/4" x 41"

**4405-R**
**Reeded**
1-3/4 x 36"
1-3/4 x 41"

**4405-SQ**
**Square**
1-3/4 x 36"
1-3/4 x 41"

**4405-T**
**Twisted**
1-3/4" x 36"
1-3/4" x 41"



*This series available in octagon by special order.*

**4442**
Now Available
With or without
Crosshatch
Acorn Top
WIth Special Order

**4442-P**
**Plain**
3-1/2" x 48"
3-1/2" x 60"

**4442-F**
**Fluted**
3-1/2" x 48"
3-1/2" x 60"

**4442-R**
**Reeded**
3-1/2" x 48"
3-1/2" x 60"

**4442-T**
**Twisted**
3-1/2" x 48"
3-1/2" x 60"

When ordering #4442 series, please specify 5", 10", or 13" top. 10" & 13" Top Available in 60" Only






**4415 LB**
41"
Available in Plain, Twisted, Fluted or Reeded
(No Dowel)

**4415-P**
**Plain**
1-3/4" x 3X"
1-3/4" x 39"
1-3/4" x 41"

**4415-F**
**Fluted**
1-3/4" x 3X"
1-3/4" x 39"
1-3/4" x 41"

**4415-R**
**Reeded**
1-3/4 x 3X"
1-3/4 x 39"
1-3/4 x 41"

**4415-T**
**Twisted**
1-3/4" x 3X"
1-3/4" x 39"
1-3/4" x 41"

**4417-F**
**Fluted**
1-3/4" x 41" LB
(No Dowel)

**4417-R**
**Reeded**
1-3/4" x 41" LB

Also Available in Plain

**4410-P**
**Plain**
3-1/2" x 48"
3-1/2" x 60"

**4410-F**
**Fluted**
3-1/2" x 48"
3-1/2" x 60"

**4410-R**
**Reeded**
3-1/2" x 48"
3-1/2" x 60"

**4410-T**
**Twisted**
3-1/2" x 48"
3-1/2" x 60"

Dowel is sent loose.

**4461-P**
**Plain**
3" x 41"

**4461-F**
**Fluted**
3" x 41"

**4461-R**
**Reeded**
3" x 41"

**4461-T**
**Twisted**
3" x 41"




**4011S-OCT**
1-3/4" x 36"
1-3/4" x 39"
1-3/4" x 41"

**4011S-SQ**
1-3/4" x 36"
1-3/4" x 39"
1-3/4" x 41"

**4001S-OCT**
1-3/4" x 39"
1-3/4" x 41"

**4001S-SQ**
1-3/4" x 36"
1-3/4" x 39"
1-3/4" x 41"






**4810S-OCT**
3-1/2 x 48"
3-1/2x 60"

**4810S-SQ**
3-1/2 x 48"
3-1/2x 60"

**4842S-OCT**
3-1/2 x 48"
3-1/2x 60"

**4842S-SQ**
3-1/2 x 48"
3-1/2x 60"






**4001-P**
1-3/4" x 36"
1-3/4" x 41"
(No Dowel)

**4001-F**
1-3/4" x 36"
1-3/4" x 41"
(No Dowel)

**4001-R**
36"
1-3/4" x 36"
1-3/4" x 41"
(No Dowel)

**5001-P or F**
1-1/4" x 36"
1-1/4" x 39"
1-1/4" x 41"
(No Dowel)

**5011-P**
1-1/4" x 36"
1-1/4" x 39"
1-1/4" x 41"

**4011-P**
1-3/4" x 36"
1-3/4" x 39"
1-3/4" x 41"

**4011-F**
1-3/4" x 36"
1-3/4" x 39"
1-3/4" x 41"

**4011-R**
1-3/4" x 36"
1-3/4" x 39"
1-3/4" x 41"

**4011-LB**
41"
Available
Plain or
Fluted
(No Dowel)




**4842**
Now Available
With or without
Crosshatch
Acorn Top
WIth Special Order

**4842-P**
3-1/2" x 48"
3-1/2" x 60"

**3842**
3" x 48"
3" x 60"

**4842-F**
3-1/2" x 48"
3-1/2" x 60"

**4842-P**
10" Top
3-1/2" x 60"

**4842-F**
10" Top
3-1/2" x 60"

*When ordering #4842 series, please specify 5" or 10" top. 10" top available in 60" only.*

**4842-R**
3-1/2" x 48"
3-1/2" x 60"

**4810-P**
3-1/2" x 48"
3-1/2" x 60"

**3810**
3" x 48"
3" x 60"

**4810-F**
3-1/2" x 48"
3-1/2" x 60"

**4810-R**
3-1/2" x 48"
3-1/2" x 60"

**4861-P**
3" x 40"

**4861**
Fluted and
reeded also
available




**5715-P**
**Plain**
1-1/2 or 1-3/4" x 3X"
1-1/2 or 1-3/4" x 39"
1-1/2 or 1-3/4" x 41"

**5715-F**
**Fluted**
1-1/2 or 1-3/4" x 3X"
1-1/2 or 1-3/4" x 39"
1-1/2 or 1-3/4" x 41"

**5715-R**
**Reeded**
1-1/2 or 1-3/4" x 3X"
1-1/2 or 1-3/4" x 39"
1-1/2 or 1-3/4" x 41"

**800-364-3269**




**4742-P**
**Plain**
3-1/4" x 48"
3-1/4" x 60"

**4742-F**
**Fluted**
3-1/4" x 48"
3-1/4" x 60"

**4742-R**
**Reeded**
3-1/4" x 48"
3-1/4" x 60"

**4710-P**
**Plain**
3-1/4" x 48"
3-1/4" x 60"

**4710-F**
**Fluted**
3-1/4" x 48"
3-1/4" x 60"

***60" Available in 5", 10" or 13" Top Block Please specify when ordering.***
***Newels Also Available in 3-1/2" by Special Order.***

Below are examples of the newel top options that are available for the items in our Traditional line of Wood Stair Parts.

***All traditional balusters can be fluted, twisted, or reeded upon request.***

**SMT** **BT** **MT**




**5067**
1-1/4" x 31"
1-1/4" x 34"
1-1/4" x 36"
1-1/4" x 39"
1-1/4" x 41"

**5015**
1-1/4" x 31"
1-1/4" x 34"
1-1/4" x 36"
1-1/4" x 39"
1-1/4" x 41"

**5014**
1-1/4" x 31"
1-1/4" x 34"
1-1/4" x 36"
1-1/4" x 39"
1-1/4" x 41"

**5015 LB**
41"
No Dowel

**5015 Primed**
Available in domestic or imported

**Available in most species**




**1640**
3" x 48"
3" x 54"
3" x 60"
3" x 72"

**1740**
3-1/4" x 48"
3-1/4" x 60"

**1641**
3" x 48"
3" x 60"
3" x 72"

**1741**
3-1/4" x 48"
3-1/4" x 60"

**1642**
3" x 48"
3" x 60"

**1742**
3-1/4" x 48"
3-1/4" x 60"

**1643**
3" x 60"
3" x 72"

**1646**
Same as 1643, but with 16" Top

**1743**
3-1/4" x 60"

**1600**
3" x 48"
3" x 54"
3" x 60"
3" x 72"

**1700**
3-1/4" x 48"
3-1/4" x 60"

**1605**
3" x 48"
3" x 60"

**1606**
Round Base

**1607**
Square Base
3" x 38"
3" x 41"
3" x 44"

**4010**
3" x 48"
3" x 60"

**4040**
3" x 48"

**4042**
3" x 54"

**4043**
3" x 60"

**4045**
3" x 48"
3" x 60"
3" x 72"

**4046**
3" x 60"
3" x 72"






**4075**
62-1/8"
BaseWidth:
3-1/2" Square

**4091-RP**
Base 6-1/4"
Middle 4-3/4"

**4091-FP**
Base 6-1/4"
Middle 4-3/4"

**4091-FL**
Base 6-1/4"
Middle 4-3/4"

**4091-PL**
Base 6-1/4"
Middle 4-3/4"

**4091-MS**
Base 6-1/4"
Middle 4-3/4"

*Cap Options*

**CS-101**

**CS-102**

**CS-105**




**CS-103**

**CS-104**

**4091 or 4095**
**EZ Mount**
**Box Newel**
**Mount**

*4091 Caps for Box Newels.*
*Can make virtually any fitting.*
*Can make to fit 4091, 4092, 4095 or 4392*
*Customer must specify*

**BNC-19**

**BNC-20**

**BNC-21**












**4095-RP** special order
Base 7-1/2"
Middle 6"

**4095-FP** special order
Base 7-1/2"
Middle 6"

**4095-FL** special order
Base 7-1/2"
Middle 6"

**4095-PL** special order
Base 7-1/2"
Middle 6"

**4092-FL**
**and**
**4092-PL**
Base 5" Middle 3-1/2"

**4392-FL**
**4392-PL**
**4392-RP**
**4392-FP**
Base 4-3/4"



# Accessories

**1010**
Flush Plug 1"

**1020**
Rail Bolt

**1030**
Wall Bracket

**1032-HD**
Wall Bracket

**1070**
Drop Cap
*Available in 3" and 3-1/2" diameter*

**1075**
Newel Finial

**Items #1030 & 1032 available in the following finishes:**
**Bright Brass •Antique Brass • Dull Chrome •Satin Nickel**
**Satin Black • Oil Rubbed Brass • Oil Rubbed Copper**
**Copper Vein • Speckled Gray**

**1060 Oval Rosette**
5-1/2"H x 4-1/4"W
**1064 Oval Rosette**
6-1/2"H x 4-1/2"W

**1063 Square Rosette**
6"H x 4-5/8"W

**1062**
Round Rosette
4-3/8" Round




**1080**
Plain Bracket

**1090**
Scroll Bracket

**1103**
Newel
Anchor

**1104**
Newel Anchors
3" & 3-1/2" Sizes Available

**1106**
Spin Driver
(to be used
with Dowel
Lockscrews)

**1107**
Dowel
Lockscrews
(24 per pack)



**1108**
Newel Anchor
11" Lag Bolt
1 Curved Washer
1 Nut
1-1/2" Oak and
Poplar Tapered Plugs

**1109**
Rail Bolt Wrench

**2000**
Key Lock

**3004**
Newel
Anchor

**3006**
Newel Anchor

**3007**
Hardware
Combination Kit



# Standard Rail Profiles

*All Straight Rails Available in Plowed or Unplowed*




Traditional
Bending Rail
**6010 B** 7 Pieces




Mid-Western
Bending Rail
**6115 B** 8 Pieces




Traditional
Bending Rail
**6210 B** 8 Pieces




Carolina
Bending Rail
**6300 B**




Hampton
Bending Rail
**6519 B** 8 Pieces




Raleigh
Bending Rail
**6600 B** 10 Pieces




Georgian
Bending Rail
**6700 B** 8 Pieces




Charleston
Bending Rail
**6800 B** 8 Pieces




Raleigh Jr.
Bending Rail
**6900 B** 8 Pieces




Savannah




Colonial




Newport




Williamsport




Modern













Allied



















With Finger Groove
Contemporary Rail
(Fittings Not Available)
6026 W/Out Finger Groove










Mincey




For Plowed
Please Specify
1-3/4" or 1-1/4"

**04 LH S-Curve**
5" Center to Center
Custom Sizes available

**05 RH S-Curve**
5" Center to Center
Custom Sizes available

**08**
Coped End
Available 70 & 72
Series Only

09
Returned End

**11**
Level Quarterturn

**11-ext**
Level Quarterturn

**11**
135 °
Quarterturn




**17**
Radius Return End

**20**
Tandem Cap

**21**
Quarterturn
Cap

**22**
**135 °**
Quarterturn

**50**
Left Hand



**55**
Right Hand

**71**
Left Hand



**76**
Right Hand

**60**
Left Hand



**65**
Right Hand

**97**
2 Riser
(With Cap)



**89**
2 Riser
(with Tandem)



**99**
2 Riser
(No Cap)

**90**
Left Hand



**95**
Right Hand

**91**
Left Hand



**92**
Right Hand



**93**
Left Hand



**94**
Right Hand

**86**
Right Hand

**81**
Left Hand

*All goosenecks are shipped with easements unattached. Custom angles available on quarter turns. Well hole fittings are 5-1/2" from Center of Rail to Center of Rail*







*Fittings are available in the following series: 70, 71, 72, 73, 75, 76, 77, 78, 79, R4, R11, R15 & 6042.Easements and Quarterturns*

**10**
Starting Easing




**12**
Up Easing




**12 E**
Up Easing With
Straight Extension




**13**
Over Easing

**14**
Up Easing 90°

**16**
Over Easing
(Returned End)

**15**
Starting Easing
(Returned End)

**19**
Opening Cap

**36**
Vertical Volute
Available 70 & 72 Series Only

**Available in most species**

**30**
Left Hand Volute

**35**
Right Hand Volute

**30-U**
Universal Left Hand Volute

**35-U**
Universal Right Hand Volute

*70 & 76 Series are 4-7/8" from center of newel to center of handrail.*
*All other profiles are 5-1/8".*

**40**
Left Hand Turnout

**45**
Right Hand Turnout

*4-7/8" From Center of Newel to Center of Handrail*

**41**
Left Hand Turnout

**46**
Right Hand Turnout

*2-7/8" From Center of Newel to Center of Handrail*

**8085**
Nosing
1-1/16" x 1-1/2"




**8090**
Landing Tread
1-1/16" x 3-1/2"




**8095**
Landing Tread
1-1/16" x 5-1/2"

**6910 -** Cove Mold
3/4" x 3/4"
**6904** - Cove Mold
1/2" x 5/8"

**6912**
Stringer Mold
1-3/8" x 5/8"

**6915**
Stringer Cap
5/8" x 1/2"

Available
Sizes
1-1/2"
1-3/4"
2"
2-3/8"
2-7/8"
2-1/8"

**RND-1**
Round Rail
Special Order

**6040**
Wall Rail
1-1/2" x 1-1/2"

**6042**
Wall Rail
1-5/16" x 2-1/4"
***Fittings Now Available***
***Easments & Quarterturns***

**6043**
Wall Rail
1-3/4" x 1-5/8"

**6044**
Fusion Handrail
2-1/8"w x 2"h
7/8" Flat Bottom

**1000**
Fillet
3/16" x 1-1/4"
3/16" x 1-3/4"

**1001**
Shoe Rail
3/4" x 3-1/8 x 1-3/4" Plow
3/4" x 2-3/8" x 1-1/4" Plow

**1002**
Flat Fillet
3/16" x 1-1/4"
3/16" x 1-3/4"

**8010 F**
Reversible False End
Starting Step

**8010**
Reversible Single
"Bull Nose" Starting Step
Specify: 36", 42", 48", 54" or 60"
Measurement is distance from "notch to notch."
Also available in bowed front.




**8072**
**False End**
**(No M.R.)**




**8073-FALTR**
36, 42, 48, 60
***False full-length tread.***
***Left hand or right hand***
***available upon request.***

**8076**
**False Riser**
**1/2" thick**

**Winder Tread Panels**
**8078-TPNL**
1" x 25" x 42"
1" x 25" x 48"
1" x 25" x 60"




**97 "STR" Stringer**
**1" or 3/4" thick**




**8015**
Double Starting Step
Specify Size - Measurement is distance from "notch to notch."
Also available in bowed front.



**8070**
10-1/2" Tread
**8071** 11-1/2" Tread
Specify " 36", 42", 48" 54", 60" or 72"
Mitre Return: RH, LH or Double




**8074**
**M.R. False End**
**Specify: RH or LH**




**Flooring**
**for Landings**
**3-1/4", 4-1/4", 5-1/4"**
***Custom widths available***



**8080**
Riser
Specify Size:
3/4" x 36", 42", 48", 54" or 60"

1 x 8" S4S  1 x 6" S4S  1 x 4" S4S








**Newel Post**
**CSN 130**
5-1/2" x 48"

**Fireplace Column**
**CSF 130**
5-1/2" x 52"

**Kitchen Island Column**
**CSK 130**
5-1/2" x 36"

**CS 333**
3-1/4" x 60"

**Hollow Flute**
**CS 324**
Available in Square Top
2" x 41"

**Available in most species**








**Newel Post**
**CSN 150**
5-1/2" x 48"

**Fireplace Column**
**CSF 150**
5-1/2" x 52"

**Kitchen Island Column**
**CSK 150**
5-1/2" x 36"

**CS 555**
3-1/4" x 60"

**CS 524**
Available in Square Top
2" x 41"




**Newel Post**
**CSN 110**
5-1/2" x 48"

**Fireplace Column**
**CSF 110**
5-1/2" x 52"

**Kitchen Island Column**
**CSK 110**
5-1/2" x 36"

**CS 35**
3-1/4" x 60"

**CS 124**
2" x 41"

**CS 124**
Sq Top
2" x 41"








**Newel Post**
**CSN 120**
5-1/2" x 48"

**Fireplace Column**
**CSF 120**
5-1/2" x 52"

**Kitchen Island Column**
**CSK 120**
5-1/2" x 36"

**CS 65**
3-1/4" x 60"

**CS 224**
Available in
Square Top
2" x 41"








**Newel Post**
**CSN 150-T**
5-1/2" x 48"

**Fireplace Column**
**CSF 150-T**
5-1/2" x 52"

**Kitchen Island Column**
**CSK 150-T**
5-1/2" x 36"

**CS 555-T**
3-1/4" x 60"

**CS 524-T**
Available in
Square Top
2" x 41"








**Newel Post**
**CSN 170**
5-1/2" x 48"

**Fireplace**
**Column**
**CSF 170**
5-1/2" x 52"

**Kitchen Island Column**
**CSK 170**
5-1/2" x 36"

**CS 775**
3-1/4" x 60"

**CS 724**
Available in
Square Top
2" x 41"




N-1 6-1/4" x 48" | N-2 7" x 45" | N-3 6" x 55" | N-4 6-1/2" x 72" | N-5 8" x 55" | N-6 3" x 69" | N-7 5" x 48"




N-16 6-1/4" x 43" | N-17 7" x 49" | B-1 2-1/4"x 36" | B-2 1-3/4" x 36" | B-3 2-1/4 x 36" | B-4 2-1/4 x 30" | B-5 1-3/4"x 42" | B-6 1-1/2" Sq. Base | B-7 1-1/4"x37-1/4"

800-364-3269

Available in most species

*All custom newels can be turned in various blank sizes. Changing the size may alter some of the detail.




N-8 5" x 48" | N-9 4-1/2" x 48" | N-10 8" x 52" | N-11 5" x 52" | N-12 4" x 48" | N-13 8" x 48" | N-14 3-1/2" x 43" | N-15 8" x 46"

N-18 8" x 54" | N-19 8" x 48" | N-20 6-1/2" x 44" | N-21 4-5/8" x 48" | N-22 6" x 54" | N-23 7-1/2" x 51" | N-24 7" x 44"




**N-25** 5" x 48"
**N-26** 4-3/8" x 48"
**N-27** 5-1/2" x 48"
**N-28** 3-1/2" x 48"
**N-29** 3-1/2" x 48"
**N-30** 3-1/2" x 72"
**N-31** 3-1/4" x 48"

**800-364-3269**




**N-32** 6" x 42-1/4"
**N-33** 3" x 48"
**N- 35** 5-1/2" x 60"
**N-5448** 5" x 48" 5" x 60"
**N-5441** 5" x 48" 5" x 60"
**N-34** 5" x 54"
**B-43** 2-1/4" x 36"
**B-44** 2-1/4" x 34"








**B-35** 1-1/2" x 35"
**B-37** 1-1/2" x 39"
**B-34** 1-1/2" x 36"
**B-36** 1-1/2" x 36"
**B-20** 2-1/4" x 41"
**B-22** 1-3/4" x 38"
**B-21** 1-3/4" x 39"

Available in most species

*All custom newels can be turned in various blank sizes. Changing the size may alter some of the detail.




**B-33** 2-1/4" x 36"
**B-41** 1-3/4" x 39"
**B-40** 1-3/4" x 41"
**B-25** 1-1/2" x 32"
**B-27** 1-1/2" x 34"
**B-26** 1-1/2" x 36"
**B-8** 2-3/4" x 42"
**B-CIE-CV** 2-5/8" x 16-1/4"

www.carolinastair.com

Craftsmanship in Stair Parts

31 YEARS

CAROLINA STAIR SUPPLY

Edition 11

# Iron

316 Herrick Street, Uhrichsville, Ohio 44683
Tel: 800-364-3269
Tel: 740-922-3333
Fax: 740-922-3330

## Finish Options

**The process of powder coating involves applying dry pigments using an electrostatic process, then baking them on to create a lasting and durable, as well as beautiful, finish.**

**The products found in the following section implement the powder coating technique. When ordering, please use the Finish Options Guide below.**

**Please indicate the type of finish by using the following abbreviations:**

**AN =** Antique Nickel
**B =** Flat Black Powder Coat
**SP =** Grey Speckled Powder Coat
**SAT =** Satin Black
**CV =** Copper Vein Powder Coat
**ORC =** Oil Rubbed Copper
**ORB =** Oil Rubbed Bronze

**Example: CS 16.5.5-B = Carolina Stair Flat Black Twist & Basket Newel**

*Iron Chain Color Samples Available Upon Request*

Finish Options

AN CV SAT ORC B SP ORB

**Pitch Shoe With Set Screw**
**CS 16.3.2**
1/2" Opening

**CS 16.3.17**
9/16" Opening

AN CV SAT ORC B SP ORB

**Adjustable Knuckle With Set Screw**
**CS 16.5.1**
1/2" Opening

AN CV SAT ORC B SP ORB

**Base Shoe With Set Screw**
**CS 16.3.1**
1/2" Opening

**CS 16.3.3**
9/16" Opening

**Epoxy Kit**







S and T in the available color charts refers if an item is available in solid or tube

# RAIL ZIP-CLIP™

ORC ORB SAT
T T T

## Zip Clip Installation

**Install Clip To Handrail and Tread**

**Slide Iron Baluster In Place With Shoes Installed**

**Zip Clip**

**2 Flat Shoes**
**Z-CS16.3.1**
1/2" Opening
**SAT, ORC, ORB**

**Zip Clip**

**1 Pitch & 1 Flat Shoe**
**Z-CS16.3.2**
1/2" Opening
**SAT, ORC, ORB**

**Zip Clip**

**2 Pitch Shoes**
**Z-CS16.3.4**
1/2" Opening
**SAT, ORC, ORB**

**Snap Retaining Clip In Place**

**Slide Shoe In Place And Tighten**



S and T in the available color charts refers if an item is available in solid or tube






**CS 16.1.1**
Ends: 1/2"
Ht: 44"

**CS 16.1.2**
Ends: 1/2"
Ht: 44"

**CS 16.1.3**
Ends: 1/2"
Ht: 44"

**CS 16.1.4**
Ends: 1/2"
Ht: 44"

**CS 16.1.23**
Ends: 1/2"
Ht: 44"

**CS 16.1.25**
Ends: 1/2"
Ht: 44"

**CS 16.1.24**
Ends: 1/2"
Ht: 44"

S and T in the available color charts refers if an item is available in solid or tube




**CS 2.9.11**
Ends: 9/16"
Ht: 44"

**CS 2.9.12**
Ends: 9/16"
Ht: 44"

**CS 2.9.13**
Ends: 9/16"
Ht: 44"

**CS 2.9.20**
Ends: 9/16"
Ht: 44"

**CS 2.9.28**
Ends: 9/16"
Ht: 44"

**CS 2.9.26**
Ends: 9/16"
Ht: 44"

**CS 2.9.27**
Ends: 9/16"
Ht: 44"




**CS 16.1.5**
Ends: 1/2"
Ht: 44"

**CS 16.1.6**
Ends: 1/2"
Ht: 44"

**CS 16.1.10**
Ends: 1/2"
Ht: 44"

**CS 16.1.11**
Ends: 1/2"
Ht: 44"

**CS 16.3.6**
Ends: 1/2"
Ht: 44"

**CS 16.3.7**
Ends: 1/2"
Ht: 44"

S and T in the available color charts refers if an item is available in solid or tube




**CS 16.5.2**
Ends: 9/16" Square
Ht: 44"

**CS 16.1.8**
Ends: 9/16" Square
Ht: 44"

**CS 16.1.7**
Ends: 9/16" Square
Ht: 44"

**CS 16.1.9**
Ends: 9/16" Square
Ht: 44"




**CS 2.9.7**
Ends: 9/16"
Ht: 44"

**CS 2.9.3**
Ends: 9/16"
Ht: 44"

**CS 2.9.4**
Ends: 9/16"
Ht: 44"

S and T in the available color charts refers if an item is available in solid or tube




**CS 2.10.1**
Ends: 1/2"
Ht: 44"

**CS 2.2.3**
Ends: 1/2"
Ht: 44"

**CS 16.1.35**
Ends: 1/2"
Ht: 44"

**CS 16.1.34**
Ends: 1/2"
Ht: 44"

**CS 16.2.1**
Ends: 1/2"
Ht: 44"




**T-CS 16.1.1-KW**
Ends: 1/2"
Ht: 36"

**T-CS 16.1.2-KW**
Ends: 1/2"
Ht: 36"

**T-CS 16.1.3-KW**
Ends: 1/2"
Ht: 36"

**T-CS 16.1.4-KW**
Ends: 1/2"
Ht: 36"

**T-CS 16.1.35-KW**
Ends: 1/2"
Ht: 36"

**T-CS 16.1.34-KW**
Ends: 1/2"
Ht: 36"





★ CS PLA Round: 5/8" Now Available in 12 foot Lengths ★






**CS HG**
Round: 5/8"
Ht: 44"

**CS BAS**
Round: 5/8"
Ht: 44"

**CS PLA**
Round: 5/8"
Ht: 44"

**CS KNUC**
Round: 5/8"
Ht: 44"

**CS 16.3.8**
Ends: 9/16"
Ht: 44"

**CS 16.3.9**
Ends: 9/16"
Ht: 44"

**CS 16.3.10**
Ends: 9/16"
Ht: 44"

**CS 16.3.11**
Ends: 9/16"
Ht: 44"

**MISSTW-EXT-SAT**
Ends: 5/8" Aluminum

**MISSTW-EXT-SAT**
Ends: 5/8" Aluminum



# Olé Iron Slides™

With the advent of the adjustable iron slide baluster, the do it yourself person can now design and install their own balustrade. Using only a drill, screwdriver and an allen wrench, the adjustable iron baluster can replace your old wood spindles without the expense of a professional. Leave your wood rail and newels in place, remove the wood spindles and replace them with a wrought iron balustrade quickly and without a big mess. Presto, you have a new design flavor for your living area.

**Scan this code to watch the video**

Ole Iron Slides™ is a trademarked and patented adjustable baluster owned by Carolina Stair Supply Inc.










**KW_ISPLA**
Plain

**KW_ISTW**
Tist

**KW-ISBAS**
Basket




**ISPLA**
Plain

**ISTW**
Twist

**ISBAS**
Basket

**ISSSL**
Spd-Scroll

**ISSCR**
S-Scroll

**ISHSC**
H-Scroll

**ASBAS**

**ISSW**

**ISXT**
3/8"x 3/8"x 16-1/2

www.carolinastair.com

Craftsmanship in Stair Parts

31 YEARS

# CAROLINA STAIR SUPPLY

316 Herrick Street, Uhrichsville, Ohio 44683

Tel: 800-364-3269

Tel: 740-922-3333

Fax: 740-922-3330

Wood Products Manufacturers ASSOCIATION

NOMMA

STAIRBUILDERS AND MANUFACTURERS SMA ASSOCIATION MEMBER