

Quality. Value. Innovation.

Your stairway makes a statement.

So it's important for you to choose components that are not only functional and beautiful but also reflect your design preferences.

With Regency Stair Parts, you can create a stunning design for your stairway with the confidence that you are selecting premium quality parts that reflect value and innovation.

As a part of the LNL Building Products family, Regency Stair Parts was formed to exceed the expectations of discerning homeowners by crafting components that maintain their looks and integrity after years of use.

We combine time-tested craftsmanship with the latest manufacturing techniques, producing stair parts that not only provide excellent initial value, but also make a lasting impression in your home.

At Regency Stair Parts, a stairway is just the beginning...

We are committed to bringing you the highest level of customer care. Rest assured, no matter which of our stair parts you choose, you'll be making a smart investment that will fit your needs, your home and your life.

00




Table of Contents

C.	and the Destruction	4	Matal Dalasta G. Assassa	20.24
	eps to the Perfect Stair	4	Metal Balusters & Accessories	30-31
Tra	ditional Collection	12	Handrails & Fittings	34-37
•	Post to Post Newels	12, 14	 Handrail Fittings Illustrated 	35
•	Over the Post Newels	13, 14	 ADA/Comm'l Rail & Fittings 	36
•	Pin Top Balusters	15	 Wall Rail & Shoe Rail 	36
•	Square Top Balusters	16	 Handrail Brackets 	37
На	mpton Collection	17	· Rosettes	37
•	Hampton Newels	17	Treads & Risers	40-45
•	Hampton Balusters	18-19	 Red Oak Plain Treads 	40
Cla	ssic Collection	20	 Hybrid/Combination Treads 	40
•	Classic Newels	20	 Red Oak Return Treads 	41
•	Classic Balusters	21	 Solid Edge-Glued Treads 	42
Re	gency Collection	22	 Red Oak Landing Tread 	43
Oly	ympia Collection	23	· Risers, Loose Returns	43
Cra	aftsman Collection	24	 FasTREAD® Replacement Tread 	44
•	Craftsman Newels	24, 25	 Primed LVL Stringers 	44
•	Full Square Balusters	24	 Primed "GBR" Risers 	45
Во	x Newels	28-29	Installation Accessories	46-47
•	Box Newel Caps	28-29	Custom Stair Parts	48-51
			· SPI Collection 10-11,	26-27





STEP 1: Choose your Collection

We have several styles and designs from which to choose:

- Traditional Collection
- Hampton Collection
- Classic Collection
- Georgian Collection
- Carolinian Collection
- Craftsman Collection
- **Metal Balusters**
- **Custom Collections**
- Stair Parts Inc. Collection

We stock products in the following species:













Poplar


Hemlock

Hard Maple


Mahogany

Ask about the availability of other species.

STEP 2: Choose your Balustrade System



amount of time and labor to install.



EPS TO THE PERFECT STAIR

STEP 3: Choose your Baluster Style


We have several styles and designs from which to choose:

Pin Top Balusters

Square Top Balusters

Metal Balusters








Tops of balusters are square 1-1/4" square or 1-3/4" square. Designed to be used with plowed rail.



Available in 1/2" square or 5/8" square, our balusters are available in a variety of finishes and styles. Balusters have round pins at top for easier installation.




STEP 3: Choose your Baluster Style (continued)






The "rake" of a staircase is the slope, or angle of the stair as it ascends.


The "True Rake" baluster system offers true alignment so lines appear parallel and clean. See page 18-19 for True Rake balusters.




Turning Length increase 4" per Baluster



Turning Length increase 2-1/2"" per Baluster



Turning Length remains constant



Turning Length remains constant

STEP 4: Choose your Handrail

Handrail styles are matched to each collection based on architectural scale. Refer to individual collection pages to find the best handrail to match with your choice of baluster.

There are two types of handrail available: Unplowed (or Plain), and Plowed.



Unplowed Rail: Use with pintop or metal balusters.



Plowed Rail:
Use with square top balusters.
Available in 1-1/4" and 1-3/4" widths





6010 Plain



6210 Plain



6510 Plain



6710 Plain



6010 Bending Rail



6210 Bending Rail



6510 Bending Rail



6710 Bending Rail

Each rail profile is available in Plain, Plowed, and in Bending Rail. Each rail profile has a corresponding Bending Rail and Mould profile. Used on curved stairs and balconies, Bending Rail has a matching mould that holds the rail piece together during construction. It also protects it during shipping. The tightest radius to which bending rail can be bent is 48".

Shoe rails and Fillets
Shoe rails are plowed
lineal material
sometimes used
with square bottom
balusters. Fillet is
cut to fill the spacing
between balusters





STEP 5: Choose your Newel Post System

Depending on the rail style you chose in Step 2, newel posts classified by Over-the-Post pin-top newels, and Post-to-Post block top and Box Newels.



Pin top newels require handrail fittings that slide down on top of pins, creating a continuous rail system that is elegant to the touch.



Block top, and Box Newels allow rails to run between them, creating an added touch of detail to your staircase system.

Handrail Fittings are not required unless there is a transition in handrail height between newels (on landings for example).

STEP 6: Choose your Starting Fitting

If you selected an Over-The-Post system, you should select the type of starting fitting that begins the staircase railing. Certain fittings require specific starting steps. See the notes below.



Starting Easing with Cap Use on Pin-Top Starting Newels installed on standard

starting steps. Newel post and Starting Easing share the same centerline.



Volute

Use with Pin-Top Starting or Volute Newels. Requires a starting step.



Turnout

Use on Pin-Top Starting or Volute Newels. Requires a starting step.





Rooted in 18th Century America architecture, our Traditional Collection represents the best of that era.

Inviting as it is beautiful, create the look of authentic, stylish comfort perfected by Colonial artisans over three centuries ago.






Mushroom Top

Ball Top

When Ordering: Specify Mushroom Top (MT) or Ball Top* (BT)



BT / MT

RO / PP

L	Js	age:

MODEL #:

Length:

Top: Specie:

Usage Key

BT / MT

RO / PP

- S Starting Newel
- B Balcony Newel
- I Intersection/Landing

Top Key

BT / MT

RO / PP

BT - Ball Top

MT - Mushroom Top

Specie Key

BT / MT

RO / PP


BT / MT

RO / PP

RO - Red Oak PP - Poplar



Over the Post Newels





Volute Starting Newels

These newels are designed to be used on starting steps in conjunction with starting fittings such as volutes, turnouts, and opening caps.

See Page 35 for an illustrated guide to handrail fittings.

Square Base Adjustable Length Newel With 1-1/2" X 18" Loose Pin.





Round Base Adjustable Length Newel With 1-1/2" x 18" Loose Pin.

MODEL #: 4063-43 SBLP 4063-43 RBLP Usage: S S Length: 43" 43"

РΤ

RO





Тор:

Specie:

Top Key

PT

RO / PP

Specie Key

S - Starting Newel B - Balcony Newel I - Intersection/Landing PT - Pin Top

RO - Red Oak PP - Poplar


Traditional Collection

Newel Posts

Available in **Post to Post** and **Over the Post** designs. *Half newels available for all species.*







37/8

37/8

Block Top Post to Post Newels Varying lengths of the top block allow for changes in rail direction, such as landings and where stair rails intersect at a balcony.

Ω 37/8	10
23 1/4	23 1/4



Usage Key

- S Starting Newel B - Balcony Newel
- I Intersection/Landing


Top Key

BT - Ball Top PT - Pin Top

Specie Key

RO - Red Oak PP - Poplar HK - Hemlock


Pin Top Balusters



Specie Key RO - Red Oak PR - Primed

The SS-5015 "Smart Stick", a Regency Exclusive!


What's smart about the **SS-5015** "Smart Stick?" The top and bottom pins are the same size, requiring the same size drill bit...meaning it's easier and quicker to install. That's good news for installers. The bottom pin is shorter and needs no trimming. The 3/4" pin top increases possible spacing of balusters by 1/4" while complying with the 4" maximum spacing in many building codes.





Specie Key PR - Primed

Square Top Balusters



	-	-	-	-
MODEL #:	5141-34	5141-36	5141-39	5141-41
Length:	34"	36"	39"	41"
Bottom:	1-1/4"	1-1/4"	1-1/4"	1-1/4"
Specie:	PR / PP / RO	PR / HK / PP / RO	PR / HK /	PR / HK / PP / RO

Specie Key

PR - Primed HK - Hemlock PP - Poplar RO - Red Oak


Compatible Handrails for our Traditional Collection






Our *Hampton Collection* captures the detail and style that are "The Hamptons." **Newel Posts**

With the same style as its namesake, fine lines and bold curves tastefully highlight elegance and splendor.





Round Base Adjustable Length Newel With 1-1/2" x 18" Loose Pin.

US	sag	e	Ke	V

Usage:

Length:

Bottom:

Top: Specie:

- S Starting Newel
- B Balcony Newel I - Intersection/Landing

S/B

48"

3-1/2" PT

Top Key

S/B

56"

3-1/2"

PT

RO

Specie Key

BT - Ball Top

PT - Pin Top

RO - Red Oak


S

43"

3-1/2"

PT

RO



Specie Key

PR - Primed

Compatible Handrails for our Hampton Collection













Square Top Balusters




Square Top Balusters:

Plowed Rail is the best choice when using square top balusters. This rail comes with fillet, which is cut to fit between the square tops of balusters. See Page 34 for our selection of plowed rail.








MODEL #:	5235-31	5235-34	5235-36	5235-41
Length:	31"	34"	36"	41"
Bottom:	1-1/4"	1-1/4"	1-1/4"	1-1/4"
Specie:	HK / PP	RO	HK / PP / RO	PR / HK / PP / RO

Specie Key

PR - Primed HK - Hemlock (No Pin) PP - Poplar (No Pin) RO - Red Oak (No Pin)





Usage: S/BS/B S/B56" 64" 48" Length: 48" 3-1/2" 3-1/2" 3-1/2" 3-1/2" Sq Bottom: PT РΤ PT ΑT Top:

Specie:

Usage Key

RO / PP

- S Starting Newel B - Balcony Newel
- I Intersection/Landing

Top Key

RO / PP


AT - Acorn Top RO - Red Oak

PT - Pin Top PP - Poplar

RO / PP

Specie Key

RO



MODEL #:	3030P-48	3030P-56	3030P-62	3045P-62
Usage:	S/B	S/B	1	S/B
Length:	48"	56"	62"	62"
Bottom:	3-1/2"	3-1/2"	3-1/2"	3-1/2"
Тор:	AT	AT	AT	AT
Specie:	RO	RO	RO	RO

Pin Top Balusters


Our *Classic Collection* captures the artistic style of ancient Greece with its emphasis on proportion and harmony.

These designs have timeless architectural design.

25 3/4







MODEL #:	2015-36	2015-39	2015-41	2015-42LB
Length:	36"	39"	41"	42"
Bottom:	1-3/4"	1-3/4"	1-3/4"	1-3/4"
Specie:	PR / RO	PR / RO	PR / RO	PR / RO No Pin

Compatible Handrails for our Classic Collection







Specie Key

PR - Primed RO - Red Oak




Regency Collection

Newels & Pin Top Balusters

Formerly our Georgian Collection

Reflecting the high styles and traditions of late 18th century England and America, the symmetry and balance of **The Regency Collection** are typical of center-hall colonial style homes.





- S Starting Newel
- B Balcony Newel
- I Intersection/Landing


Top Key


- PT Pin Top
- BT Ball Top
- RO Red Oak
- PP Poplar


Specie Key


PR - Primed














MODEL #:
Usage:
Length:
Bottom:
Тор:

Specie:


4863	4815-48	4815-60	4840-56	4840-64
S	S/B	I/B	S/B	B / I
43"	48"	60"	56"	64"
3-1/2"	3-1/2"	3-1/2"	3-1/2"	3-1/2"
PT	PT	PT	PT	PT
RO / WO HM / MH	RO	RO / WO HM / MH	RO / WO HM / MH	RO / WO HM / MH

Olympia Collection

Pin Top Balusters

Formerly our Carolinian Collection

With dignified and restrained emphasis on geometric form, the harmonious proportions of **The Olympia Balusters** will lend style and grace to any home.



MODEL #: 2815-37 2815-41 2815-43 Length: 35" 41" 43" Bottom: 1-3/4" 1-3/4" 1-3/4" Specie: PR PR PR



Specie Key
PR - Primed

Compatible Handrails for our Regency and Olympia Collection











Craftsman Collection





Newel Posts



4001565 **Hemlock Box** Newel

3 1/2 - 3 | - 59 55 21-5/8

MODEL #:	4001563	4001565	4000-66	4001-66
Usage:	S/B/I	S/B/I	S/B/I	S/B/I
Length: 59"		55"	66"	66"
Bottom: 3-1/4"		5"	3"	3-1/2"
Тор:	СН	BOX	FULL SQ	FULL SQ
Specie:	HK	HK	RO / PP	RO / PP

Compatible Handrails for our Craftsman Collection









Usage Key

- S Starting Newel B - Balcony Newel
- I Intersection/Landing

Top Key PT - Pin Top

BT - Ball Top CH - Chamfered BOX - Box Newel

Specie Key

PR - Primed HK - Hemlock RO - Red Oak PP - Poplar

Parts on this staircase:

- **Chamfered Newels**
- 6010 Plowed Handrail
 - 5060 Square Balusters





High Hat/Pyramid Cap Box Newels



PROFILE #:	PL4075-56	PL4075-66	PL4090	PL4091	FL4092	FP4093	RP4094
Description:	Plain	Plain	Adjustable	Plain	Fluted	Flat Panel	Recessed Panel
Length:	56"	66"	55"	55"	55"	55"	55"
Square:	3½"	3½"	5"	6¼"	6¼"	6¼"	6¼"
Specie:	PP / RO WO / HM MH	PP / RO	PP / RO WO / HM MH				

Box Newel Caps: High Hat/Pyramid

Specie Key

PP - Poplar RO - Red Oak WO - White Oak HM - Hard Maple MH - Mahogany



PROFILE #:	9802	9801
Description:	NC-75 Newel Cap Kit	NC-91 Newel Cap Kit
Size:	51/8" x 51/8"	6¾" x 6¾"
Specie:	RO / WO	RO / WO
	HM / MH	HM / MH



on 4095 and 4098 Box Newels











PROFILE #: Description: Length:

Specie Key PP - Poplar RO - Red Oak WO - White Oak HM - Hard Maple MH - Mahogany

> Square: Specie:

BS-4077-24	PL4077-64	PL4191-55	PL4095-56	FP4098-56
Base/Sleeve	Plain	Plain	Plain	Flat Panel
24"	64"	55"	56"	56"
5"	3½"	5"	7½"	7½"
RO	PP / RO / WO HM / MH	RO	PP / RO / WO HM / MH	PP / RO / WO HM / MH

Box Newel Radius Caps






NC-95 / NC-91R

PROFILE #:	NC-77	NC-95	NC-91R
Description:	Cap w/ Cove Mould	Cap w/ Cove Mould	Cap w/ Cove Mould
Size:	5½" x 5½"	8" x 8"	6¾" x 6¾"
Fits:	3½" Newels	7½" Newels	6¼" Newels
Specie:	PP / RO / WO	RO / WO	RO / WO
	HM / MH	HM / MH	HM / MH

METAL BALUSTERS

1/2" & 5%" Balusters



½" PROFILE #:	DESCRIPTION	SIZE	AVAILABLE FINISHES
HM-PL44	Plain Bar	½" X 44	MB / SB / ORC
HM-PLAK01	Sgl. Knuckle	½" X 44	MB ¹ / SB ² / ORC ¹
HM-PLAK02	Dbl. Knuckle	½" X 44	MB ¹ / SB ² / ORC ¹
HM-TW1	Sgl. Twist	½" X 44	MB / SB / ORC
HM-TW2	Dbl. Twist	½" X 44	MB / SB / ORC
HM-BAS1	Sgl. Basket	½" X 44	MB / SB / ORC
HM-BAS2	Dbl. Basket	½" X 44	MB / SB / ORC
HM-F44A	Scroll	½" X 44	MB / SB / ORC
HM-FRS44	Scroll	½" X 44	SB / ORC

HM-PL44-58 Plain Bar %" X 44 SB HM-PLAK01-58 Sgl. Knuckle¹ %" X 44 SB HM-PLAK02-58 Dbl. Knuckle¹ %" X 44 SB HM-TW1-58 Sgl. Twist %" X 44 SB HM-TW2-58 Dbl. Twist %" X 44 SB HM-BAS1-58 Sgl. Basket %" X 44 SB HM-BAS2-58 Dbl. Basket %" X 44 SB HM-F44A Scroll %" X 44 SB	%" PROFILE #:	DESCRIPTION	SIZE	AVAILABLE FINISHES
HM-PLAK02-58 Dbl. Knuckle¹ %" X 44 SB HM-TW1-58 Sgl. Twist %" X 44 SB HM-TW2-58 Dbl. Twist %" X 44 SB HM-BAS1-58 Sgl. Basket %" X 44 SB HM-BAS2-58 Dbl. Basket %" X 44 SB	HM-PL44-58	Plain Bar	%" X 44	SB
HM-TW1-58 Sgl. Twist %" X 44 SB HM-TW2-58 Dbl. Twist %" X 44 SB HM-BAS1-58 Sgl. Basket %" X 44 SB HM-BAS2-58 Dbl. Basket %" X 44 SB	HM-PLAK01-58	Sgl. Knuckle ¹	%" X 44	SB
HM-TW2-58 Dbl. Twist %" X 44 SB HM-BAS1-58 Sgl. Basket %" X 44 SB HM-BAS2-58 Dbl. Basket %" X 44 SB	HM-PLAK02-58	Dbl. Knuckle¹	%" X 44	SB
HM-BAS1-58 Sgl. Basket %" X 44 SB HM-BAS2-58 Dbl. Basket %" X 44 SB	HM-TW1-58	Sgl. Twist	5%" X 44	SB
HM-BAS2-58 Dbl. Basket %" X 44 SB	HM-TW2-58	Dbl. Twist	5%" X 44	SB
7,7,7,1	HM-BAS1-58	Sgl. Basket	5%" X 44	SB
HM-F44A Scroll %" X 44 SB	HM-BAS2-58	Dbl. Basket	5%" X 44	SB
	HM-F44A	Scroll	5⁄8" X 44	SB

Notes:

- 1. Knuckles shipped loose
- 2. Knuckles are not adjustable

Notes:

- 1. Knuckles shipped loose
- $2. \ \textit{Knuckles are not adjustable}$

1/2" & 5/8" Baluster Knuckles & Shoes

PROFILE #:	DESCRIPTION	SIZE	FINISH
AK02	Adjustable Knuckle w/Set Screw	1/2"	MB / SB / ORC
FSH02	Flat Base Shoe w/Set Screw	1/2"	MB / SB / ORC
PSH02	Pitch Shoe w/Set Screw	1/2"	MB/SB/ORC
AK03	Adjustable Knuckle w/Set Screw	5/8"	SB
FSH03	Flat Base Shoe w/Set Screw	5/8"	SB
PSH03	Pitch Shoe w/Set Screw	5/8"	SB



AK02 / AK03



FSH02 / FSH03

Finish Key

MB - Matte Black SB - Satin Black ORC - Oil Rubbed Copper



PSH02 / PSH03

Forged Metal Collection

VIEITAL BALUSTIERS

Regency's ROMA forged iron series is finished in a beautiful Old World Copper, and features the artistic distinction of solid metal. Each baluster has hammered edging, adding a level of detail that speaks quality and craftsmanship.


$ROMA^{\mathsf{m}}$


PROFILE #:	DESCRIPTION	SIZE	FINISH
ROMA-PL	Plain Bar	%₁6" X 44	OWC
ROMA-K1	Sgl. Knuckle	%16" X 44	OWC
ROMA-K2	Dbl. Knuckle	%₁6" X 44	owc
ROMA-SC	Scroll	%16" X 44	OWC
ROMA-PSH	Angled Shoe	5%" X 44	OWC
ROMA-FSH	Flat Shoe	%" X 44	OWC














Handrails are the backbone to your stairway, providing continuity and structure to the final design. Regency Stair Parts offers both solid and engineered handrails. Each handrail has a matching bending rail profile for curved stair and balcony systems.







Available in:
Poplar
Hemlock
Red Oak


6010 Plain


in 6010 Bending Rail

6010 Rail is available in Finger Joint, NU-Rail Solid, Plain, and Plowed with Fillet. Lengths available may vary by species.









Available in:

Poplar

Red Oak


6210 Plain


6210 Bending Rail

6210 Rail is available in Finger Joint, NU-Rail Solid, Plain, and Plowed with Fillet. Lengths available may vary by species.









Available in:

Red Oak

White Oak

Hard Maple

Mahogany


6510 Plain


6510 Bending Rail

6510 Rail is available in NU-Rail Solid, Plain, and Plowed with Fillet. Lengths available may vary by species.









Available in:

Red Oak

Mahogany

6710 Plain

6710 Bending Rail

6510 Rail is available in NU-Rail Solid, Plain, and Plowed with Fillet. Lengths available may vary by species.



LEFT HAND VOLUTE



RIGHT HAND VOLUTE



LEFT HAND LARGE TURNOUT



RIGHT HAND LARGE TURNOUT



RETURNED END



STARTING EASING **WITH CAP**



QUARTER-TURN NO CAP

90° Turn 135° Turn 7011-135 7011 7211 7211-135 7511 7711



60° UP **EASING**



60° OVER EASING



90° UP EASING



OPENING CAP



TANDEM CAP



QUARTER-TURN WITH CAP

90° Turn 135° Turn 7021 7021-135 7221 7221-135 7521 7521-135 7721 7721-135



"S" FITTING LEFT HAND and RIGHT HAND

7047 5" CL 7247 5-1/8" CL 7547 5-1/8" CL 5-1/8" CL



2-RISE **GOOSENECK** W/CAP



RIGHT HAND 90° 2-RISE **GOOSENECK** W/CAP



LEFT HAND QUARTERTURN TURN 2-RISE GOOSENECK

NO CAP W/CAP 7071 7081 7271 7281 7571 7581 7771 7781



RIGHT HAND QUARTERTURN 2-RISE **GOOSENECK**

NO CAP W/CAP 7076 7276 7286 7576 7586 7776 7786



STRAIGHT GOOSENECK **WITH CAP**

1-Rise 2-Rise 7088 7089 7289 7589



STRAIGHT GOOSENECK NO CAP

1-Rise 2-Rise 7098 7099 7299 7599 7789 7799

ADA/Commercial Rail & Fittings

Use our 6040 Round Rail with Flat Bottom where building codes require handrails to comply with the American with Disabilities Act. Rail joinery is made easy by using our Spring Bolt Rail To Rail Kit® on page 46.



Wall Rail & Shoe Rail

Specie Key PP - Poplar

RO - Red Oak WO - White Oak HM - Hard Maple



Fillet is available separately in Poplar, Red Oak, White Oak, Hard Maple, and Mahogany

Rail Brackets



PROFILE #: 601-HD 702-MD

Heavy Duty Rail Bracket Medium Duty Economy Bracket Description:

BB / MB / ORC / BN / OWC Available Finishes: BB / BN

Finish Key

BB - Bright Brass MB - Matte Black ORC - Oil Rubbed Copper BN - Brushed Nickel OWC - Old World Copper

Rosettes





PROFILE #: 7317 Rosette 7337 Rosette 4" x 5-1/2" Oval 4" Full Round Description: PP / RO / WO / PP / RO **Available Species:** HM / MH

Specie Key

PP - Poplar RO - Red Oak WO - White Oak HM - Hard Maple MH - Mahogany





Engineered Treads


Red Oak Plain Treads

Treads and Starting Steps create the foundation for your staircase. No other component receives as much wear and tear. Regency Stair Parts treads are engineered with this in mind...performance required to last a lifetime.




Engineered Red Oak Tread

Item#	Actual Net Size
8510	1-1/32 x 10-1/2 x 36
8510	1-1/32 x 10-1/2 x 42
8510	1-1/32 x 10-1/2 x 48
8510	1-1/32 x 10-1/2 x 54
8530	1-1/32 x 11-1/2 x 36
8530	1-1/32 x 11-1/2 x 42
8530	1-1/32 x 11-1/2 x 48
8530	1-1/32 x 11-1/2 x 54
8530	1-1/32 x 11-1/2 x 60
8530	1-1/32 x 11-1/2 x 72



Hybrid Combination Treads

For stairs with carpeted runners where an oak reveal is desired.






Straight Line Miter Return Tread



Sweep Miter Return Tread

	Red	Oak Retui	n Treads	
Item#	Miter Style	Actual Net Size		\triangleright
8503	Straight Line	1-1/32 x 10-1/4 x 42		
8503	Straight Line	1-1/32 x 10-1/4 x 48	_	
8503	Straight Line	1-1/32 x 10-1/4 x 54	-	S
8523	Straight Line	1-1/32 x 11-1/4 x 42		
8523	Straight Line	1-1/32 x 11-1/4 x 48	-	
8523	Straight Line	1-1/32 x 11-1/4 x 54	-	
8531	Sweep	1-1/32 x 11-1/2 x 42	-	Z
8531	Sweep	1-1/32 x 11-1/2 x 48	-	7 0
8531	Sweep	1-1/32 x 11-1/2 x 54	_	
8531	Sweep	1-1/32 x 11-1/2 x 60		ш
		FACE PLY		RS





Solid Edge-Glued Treads


Plain Treads

Available in Red Oak and White Oak

Our Solid-Edge Glued treads are made from quality hardwoods, hand-selected for beauty and color grain, and assembed to the highest standards. Edge-glued treads are solid hardwood that will enhance the beauty of any staircase.



Actual Net Size	Species
1-1/32 x 11-1/2 x 36	RO / WO
1-1/32 x 11-1/2 x 42	RO / WO
1-1/32 x 11-1/2 x 48	RO / WO
1-1/32 x 11-1/2 x 54	RO / WO
1-1/32 x 11-1/2 x 60	RO / WO
	1-1/32 x 11-1/2 x 36 1-1/32 x 11-1/2 x 42 1-1/32 x 11-1/2 x 48 1-1/32 x 11-1/2 x 54




Edge-glued Plain Tread

Red Oak Sweep Miter Return Treads



Actual Net Size
1-1/32 x 11-1/2 x 42
1-1/32 x 11-1/2 x 48
1-1/32 x 11-1/2 x 54
1-1/32 x 11-1/2 x 60



Edge-glued Return Tread


8010 Series Red Oak Starting Steps

Single and Double Starting Step Assemblies include pre-curved risers




Starting	Ston	Assembly	,

Item#	Description	
8010-48	Single Starting Step Assembly	
8010-60	Single Starting Step Assembly	
8015-48	Double Starting Step Assembly	
8015-54	Double Starting Step Assembly	



Red Oak Landing Tread Matches thickness of standard 3/4" Red Oak Flooring




Item #	Description	Actual Net Size
8090	3-1/2" Landing Tread	1-1/32 x 3-1/2
8590	5-1/4" Landing Tread	1-1/32 x 5-1/4



Risers & Returns

Item #	Description	Actual Net Size	Species
8010R	Red Oak Riser	3/4 x 7-1/4 x 48	RO
9300	Sq. Cut Return	1-1/16 x 1-1/4 x 13 Sq. Cut	RO / WO
9300	Coped Return	1-1/16 x 1-1/4 x 13 Coped	RO / WO







Red Oak Riser

FasTREAD® Replacement Treads



Red Oak FasTREAD®




Attach the FasTREAD® Oak Return to the end of any FasTREAD® Replacement Tread to create a return tread.

The FasTREAD® Replacement Tread is designed to convert carpeted staircases into red oak masterpieces. The FasTREAD® fits over existing treads and is installed using common finish nails and wood adhesives. Watch the installation video by scanning the QR Code below.

Item #		Description	Size
8431 FasTREA		FasTREAD 48 Inch	5/8 x 11-1/2 x 48
	8431	FasTREAD Loose Return	3/4 x 13 x 1-1/8



Scan QR Code to see video demonstration of the FasTread™ Installation.



8800X Primed LVL Stringer 192" 216" 240" 9-1/4" or

Item#	Description	Size
8800X	Primed LVL Stringer	1 x 9-1/4 x 192 (16')
8800X	Primed LVL Stringer	1 x 9-1/4 x 216 (18')
8800X	Primed LVL Stringer	1 x 9-1/4 x 240 (20')
8800X	Primed LVL Stringer	1 x 11-1/4 x 216 (18')
8800X	Primed IVI Stringer	1 x 11-1/4 x 240 (20')

11-1/4"

Primed LVL Stringers


Available in 9-1/4" and 11-1/4" widths



Primed LVL Stringer

Primed "GBR" Risers

Primed and Glue-Block Ready. Perfect for stair builders!





Item # Description		Description	Size
	8110E	Primed GBR Pine Risers	3/4 x 8-1/2 x 36
		Primed GBR Pine Risers	3/4 x 8-1/2 x 42
		Primed GBR Pine Risers	3/4 x 8-1/2 x 48
	8110E	Primed GBR Pine Risers	3/4 x 8-1/2 x 120

Spring Bolt[™] Fasteners

Spring Bolt® Fasteners are the revolutionary tool to use when joining handrails to fittings and newel posts. There's even a Spring Bolt® to use when installing newels to floor systems! Say goodbye to unsightly plugs and clunky rail bolt kits. Spring Bolts® attach in minutes. Watch the video by scanning the QR code!



Key	Item#	Description	Purpose	Size
Α	9001205	Rail to Rail Connectors	Connects rail to rail or rail to fittings	1/2"w x 4-1/2" l
В	9001206	Rail to Post Connectors	Connects rail to newel post	7/8"w x 4-1/2" l
С	9001207	Rail to Post End Connector Set	Connects balcony rail to connecting newel posts	7/8"w x 4-1/2" l
D	9001208	Post to Floor Connector	Connects newel posts to floor system	1-1/4"w x 11" l

Scan QR Code to see video demonstration of the Spring Bolt http://www.surewood-springbolts.mobi




Mouldings & Trim





6250 Cove





5625 Neck

9603

12500 Clover






7500 Cap/Base

PP / RO





12500 Clover

Item#	Description	Size	Species
9600	6250 Cove	5/8 x 3/4	PR / RO
9602	5625 Neck	9/16 x 1-3/16	PP / RO
9601	7500 Cap/Base	3/4 x 1-7/16	PP / RO

3/4 x 1-3/4


Specie Key


PR - Primed PP - Poplar RO - Red Oak

Installation Accessories

Wood Installation







Key	Item#	Description	Size
Α	9400K-RKT	Rail Bolt Kit	5/16" x 3-1/2"
В	6501008	Rail Bolt Wrench	7/8" x 6"
С	9400-300	3" Newel Attachment Kit	For 3" Newel Bases
С	9400-312	3-1/2" Newel Attachment Kit	For 3-1/2" Newel Bases
С	9400-500	5" Box Newel Attachment Kit	For 5" Newel Bases
D	9400K-NKT	Newel Attach Bolt	1/2"Ø x 11"
E	9400K-000	EZ Pin Baluster Pins	1/4"Ø x 3/4" Ø x 1-3/4"
F	9400K-038	Oak Plug - 3/8 inch	3/8" Diameter (10 pack)
F	9400K-012	Oak Plug - 1/2 inch	1/2" Diameter (4 pack)
F	9400K-100	Oak Plug 1-inch	1" Diameter (4 pack)

Metal Installation





EPOX-NOZ





EPOX-CKT


EPOX-APG

Profile		Description	
	EPOX100	2-Part Epoxy Dual Cartridge - Black	
	EPOX-NOZ	Disposable Mixing Nozzle	
	EPOX-CKT	Caulking Gun Conversion Kit	
	EPOX-APG	Dispenser Gun - Multi Use	




































Distributed By: